

# PRODUCT FICHE

Supplier name	Amica Wronki S.A.	Amica Wronki S.A.	Amica Wronki S.A.
Model ID (Model)	<b>FZ206.3</b>	<b>FZ136.3AA</b>	<b>FZ210.3</b>
Refrigerating appliance model category <sup>1</sup>	8	8	8
Energy efficiency class <sup>2</sup>	A+	A++	A+
Annual energy consumption [kWh/year] <sup>3</sup>	201	136	221
Refrigerator net storage volume [l]	-	-	-
Freezer net storage volume [l]	140	80	168
Star marking of frozen-food storage compartments <sup>4</sup>	*/***	*/***	*/***
Frost-free system	-	-	-
Temperature rise time [h] <sup>5</sup>	12	10	20
Freezing capacity [kg/24h]	10	5	8
Climate class <sup>6</sup>	ST	ST	ST
Acoustical noise emissions [dB(A) re1 pW]	40	38	40
Built-in model	-	-	-
Voltage [V/Hz]	220-240 V / 50Hz	220-240 V / 50Hz	220-240 V / 50Hz
Height x width x depth of product [mm]	1252 x 545 x 597	845 x 545 x 571	1430 x 542 x 597
Appliance weight [kg]	41	33	45
Type of lighting (Incandescent / LED / none)	O / O / V	O / O / V	O / O / V
Light source replacement (V—YES / O—NO)	O	O	O

<sup>1)</sup> 1- Refrigerator with one or more fresh food storage compartments; 3- Refrigerator-chiller and refrigerator with a 0-star compartment; 4- Refrigerator with a one-star compartment; 5- Refrigerator with a two-star compartment; 6- Refrigerator with a three-star compartment; 7- Refrigerator-freeze; 8- Upright freezer; 9- Chest freezer.

<sup>2)</sup> Energy efficiency class A++/A+ (=low energy consumption) to G (=high energy consumption).

<sup>3)</sup> Power consumption »XYZ« kWh per annum based on the results of the test performed in normal conditions in a 24 hour cycle. Actual power consumption depends on the mode and place of appliance usage

<sup>4)</sup> (\*) = space for storing products at temp. around -6°C

(\*\*) = space for storing products at temp. around -12°C

(\*\*) = space for storing products at temp. around -18°C

(\*\*/\*\*\*) = space for freezing products at temp. -18°C or lower.

<sup>5)</sup> safe storage time »X« hours with no power supply

<sup>6)</sup> Climate class: W [climate class]. Appliance intended for use at ambient temperature from X [lower limit] °C to Y [upper limit] °C. SN - from +10°C to +32°C; N - from +16°C to +32°C; ST - from +16°C to +38°C; T - from +16°C to +43°C.